



## Italy - Males



CANCER SITE	Incidence			Mortality			Prevalence		ICD-10
	Cases	Crude Rate	ASR (W)	Deaths	Crude Rate	ASR (W)	1-year	5-year	
Oral cavity	3308	11.9	7.1	1215	4.4	2.5	2688	9159	C00-C08
Nasopharynx	382	1.4	0.9	174	0.6	0.4	326	1108	C11
Other pharynx	1837	6.6	4.1	922	3.3	2.0	1435	4202	C09-C10,C12-C14
Oesophagus	2025	7.3	4.1	1752	6.3	3.4	938	2088	C15
Stomach	9850	35.5	18.8	6903	24.8	12.6	5545	16447	C16
Colon and rectum	20457	73.6	39.3	9061	32.6	16.5	16700	59513	C18-C21
Liver	8267	29.8	15.9	6804	24.5	12.6	3444	7215	C22
Pancreas	4388	15.8	8.5	4091	14.7	7.7	1156	2391	C25
Larynx	4905	17.7	10.2	1840	6.6	3.5	4552	18328	C32
Lung	30384	109.3	58.0	26990	97.1	50.1	14455	33680	C33-C34
Melanoma of skin	3143	11.3	7.6	762	2.7	1.7	2958	12009	C43
Prostate	23518	84.6	40.5	7419	26.7	12.2	21180	78789	C61
Testis	872	3.1	2.9	77	0.3	0.2	823	3863	C62
Kidney etc.	5568	20.0	11.5	2087	7.5	4.0	4621	17988	C64-C66,C68
Bladder	15987	57.5	29.8	4193	15.1	7.2	14435	56803	C67
Brain, nervous system	2414	8.7	6.2	1574	5.7	3.6	1204	3250	C70-C72
Thyroid	675	2.4	1.8	208	0.8	0.4	606	2548	C73
Non-Hodgkin lymphoma	5649	20.3	12.9	2537	9.1	5.1	4641	17497	C82-C85,C96
Hodgkin lymphoma	626	2.3	1.9	203	0.7	0.5	568	2493	C81
Multiple myeloma	2315	8.3	4.5	1236	4.5	2.2	1886	5772	C90
Leukaemia	4708	16.9	10.8	2983	10.7	6.1	3204	10545	C91-C95
All sites but non-melanoma skin	162756	585.8	321.3	91711	330.1	170.9	114298	390134	C00-C96/C44

**Methods:**

Incidence: National mortality data and modeling

Mortality: National data

Prevalence: Incidence and survival

Crude and Age-Standardised (World) rates, per 100,000  
GLOBOCAN 2002, IARC